

Listing of the Claims:

1. (Currently Amended) A polarizer stereoscopic display apparatus, comprising:

a liquid crystal display panel for producing modulated light in accordance with signal data having left-eye and right-eye image information;

a polarizer for passing a portion of the modulated light from the liquid crystal display, wherein the passed portion of modulated light has a predetermined polarization;

a transparent substrate directly on the polarizer; and

a ~~patterned~~ retarder ~~[[layer]]~~ material directly on the transparent substrate for separating light polarization that passes through the polarizer and the transparent substrate into a left-eye picture and a right-eye picture, with the separation is performed in accordance with ~~[[the]]~~ a pattern of the retarder ~~[[layer]]~~ material.
2. (Previously Presented) The polarized stereoscopic display apparatus according to claim 1, wherein the transparent substrate is made from a solvent-proof polymer.
3. (Currently Amended) The polarized stereoscopic display apparatus according to claim 2, wherein the transparent substrate does not affect polarization changes of the light between the polarizer and the retarder ~~[[layer]]~~ material.
4. (Currently Amended) The polarized stereoscopic display apparatus according to claim 1, wherein the retarder ~~[[layer]]~~ material contains a chiral material for enabling light modulation.

5. (Currently Amended) The polarized stereoscopic display apparatus according to claim 4, wherein the retarder [[layer]] material is exposed to light so as to be patterned with a plurality of first cell areas for transmitting light for the left-eye picture and with a plurality of second cell areas for transmitting light for the right-eye picture.
6. (Original) The polarized stereoscopic display apparatus according to claim 5, wherein the first and second cell areas are in alternating lines.
7. (Original) The polarized stereoscopic display apparatus according to claim 5, wherein the first and second cell areas are arranged in a checkered pattern.
8. (Original) The polarized stereoscopic display apparatus according to claim 1, further including polarizing glasses for receiving different polarization.
9. (Original) The polarized stereoscopic display apparatus according to claim 8, wherein said polarizing glasses have different polarization for a left lens and a right lens.
10. (Currently Amended) The polarized stereoscopic display apparatus according to claim 1, wherein said retarder [[layer]] material is covered with a protecting polymer.
11. (Currently Amended) A polarized stereoscopic display apparatus, comprising:

a polarizer polarizing light transmitted by a display panel; and
a retarder [[layer]] material directly on a transparent substrate formed from wave guide material, the retarder [[layer]] material [[for]] polarizing light and modulating polarization from the transparent substrate and the polarizer to separately produce a left-eye picture and a right-eye picture, wherein said transparent substrate is adhered directly to the polarizer.

12. (Previously Presented). The polarized stereoscopic display apparatus according to claim 11, wherein said transparent substrate contains solvent-proof polymer.

13. (Currently Amended) The polarized stereoscopic display apparatus according to claim 11, wherein the retarder [[layer]] material contains a chiral material that enables light modulation.

14. (Currently Amended) The polarized stereoscopic display apparatus according to claim 13, wherein said retarder [[layer]] material is partially exposed to light so as to be divided into a plurality of first cell areas for transmitting light and modulating polarization for the left-eye picture and a plurality of second cell areas for transmitting light and modulating polarization for the right-eye picture.

15. (Original) The polarized stereoscopic display apparatus according to claim 14, wherein said first and second cell areas are arranged in alternating lines.

16. (Original) The polarized stereoscopic display apparatus according to claim 14, wherein said first and second cell areas are arranged in a checkered pattern.

17. (Currently Amended) A method of manufacturing a polarized stereoscopic display device, comprising the steps of:

preparing a polarizer for polarizing light transmitted by a display panel;

preparing ~~[[and]]~~ a transparent substrate made from wave guide material (WGM);

forming a retarder ~~[[layer]]~~ material directly on the transparent substrate such that the retarder ~~[[layer]]~~ material includes a plurality of first cell areas for transmitting light for a left-eye picture and a plurality of second cell areas for transmitting light for a right-eye picture; and

adhering the transparent substrate ~~[[on]]~~ directly to the polarizer.

18. (Original) The method of manufacturing the polarized stereoscopic display device according to claim 17, wherein the transparent substrate contains a solvent-proof polymer.

19. (Currently Amended) The method of manufacturing the polarized stereoscopic display device according to claim 17, wherein the retarder ~~[[layer]]~~ material contains a chiral material that permits light modulation.

20. (Original) The method of manufacturing the polarized stereoscopic display device according to claim 19, wherein the first cell areas and the second cell areas are formed by partially exposing the chiral material.

21. (Original) The method of manufacturing the polarized stereoscopic display device according to claim 20, wherein the first and second cell areas are arranged in alternating lines.

22. (Original) The method of manufacturing the polarized stereoscopic display device according to claim 20, wherein the first and second cell areas are arranged in a checkered pattern.

23. (Currently Amended) A polarized stereoscopic display apparatus, comprising:

a liquid crystal display panel for producing modulated light in accordance with signal data, wherein said signal data produces left-eye and right-eye modulated light in a predetermined pattern;

a polarizer for passing a portion of said modulated light from said liquid crystal display panel; wherein said passed portion of modulated light has a predetermined polarization;

a transparent substrate directly on the polarizer; and

a ~~patterned~~ retarder ~~[[layer]]~~ material directly on said ~~polarizer~~ transparent substrate, said retarder ~~[[layer]]~~ material including a plurality of first areas cells for separating light passed through said polarizer into a left-eye picture and a plurality of second areas cells for separating light passed through said polarizer into a right-eye picture;

wherein said plurality of first cells areas and said plurality of second cells areas are patterned in accordance with said predetermined pattern of said left-eye and right-eye modulated light.

24. (Canceled).

25. (Currently Amended) The polarized stereoscopic display apparatus according to claim 23, wherein said retarder ~~[[layer]]~~ material contains a chiral material made from a liquid crystal polymer mixture, containing a chiral dopant.

26. (Original) The polarized stereoscopic display apparatus according to claim 25, wherein said first cells areas and said second cells areas are defined by light exposure.

27. (Original) The polarized stereoscopic display apparatus according to claim 23, wherein said first and second cells alternate every other line.

28. (Original) The polarized stereoscopic display apparatus according to claim 23, wherein said first and second cells are arranged in a checkered pattern.

29. (Canceled).

30. (Original) The polarized stereoscopic display apparatus according to claim 29, wherein said transparent substrate is adhered to said polarizer.

31. (Currently Amended) The polarized stereoscopic display apparatus according to claim 1, wherein the retarder [[layer]] material and the transparent substrate form an integral assembly with the polarizer.

32. (Currently Amended) A polarized stereoscopic display device, comprising:
a polarizer polarizing light transmitted by a display panel;
a transparent substrate [[over]] in contact with the polarizer; and
a retarder material in contact with the transparent substrate.

33. (Previously Presented) The polarized stereoscopic display device of claim 32, wherein the transparent substrate contacts the polarizer.

34. (Previously Presented) The polarized stereoscopic display device of claim 32, further comprising an adhesive layer contacting the transparent substrate and the polarizer.

35. (Previously Presented) The polarized stereoscopic display device of claim 32, wherein the transparent substrate includes wave guide material.

36. (Previously Presented) The polarized stereoscopic display device of claim 32, wherein the transparent substrate includes solvent-proof polymer.

37. (Currently Amended) The polarized stereoscopic display device of claim 32, wherein the retarder material includes liquid crystal material.

38. (Currently Amended) The polarized stereoscopic display device of claim 32, wherein the retarder material includes a chiral dopant.

39. (Currently Amended) The polarized stereoscopic display device of claim 32, wherein the retarder material includes first and second light modulation regions arranged in a pattern.

40. (Previously Presented) The polarized stereoscopic display device of claim 39, wherein the pattern comprises alternating lines of the first and second light modulation regions.

41. (Previously Presented) The polarized stereoscopic display device of claim 39, wherein the pattern comprises a checkered pattern of the first and second light modulation regions.

42. (Currently Amended) The polarized stereoscopic display device of claim 32, further comprising a protecting polymer covering the retarder material.